EXHIBIT A

US00D654493S

(12) United States Design Patent (10) Patent No.:

Baumann et al.

(10) Patent No.: US D654,493 S

(45) Date of Patent: ** Feb. 21, 2012

(54) MOUNTABLE STAND

(75) Inventors: Scott Baumann, Anacortes, WA (US);
Brian Wheeler, Bellingham, WA (US);
Brian Johnson, Anacortes, WA (US)

Assignee: Clingo.com LLC, Ferndale, WA (US)

(**) Term: **14 Years**

(21) Appl. No.: 29/348,214

(22) Filed: Dec. 8, 2009

246/332; D3/201, 218, 209, 273, 301; D11/7 63/2

See application file for complete search history.

(56) References Cited

U.S. PATENT DOCUMENTS

			Richter D14/253
D533,054 S	s i k	12/2006	Brassard D8/373
			Richter D14/447
D606,065 S	×	12/2009	Rihu D14/253
D613,731 S	sk:	4/2010	Yeo D14/253
D619,586 S	*	7/2010	Richter D14/447

D619,587 S	*	7/2010	Richter D14/447
D626,541 S	×	11/2010	Kim et al D14/253
D627,624 S	¥.	11/2010	Brassard D8/363
			Richter D14/253
D640,247 S	ak.	6/2011	Baumann et al D14/253
D645,462 S	ak.	9/2011	Choi D14/253

^{*} cited by examiner

Primary Examiner — Raphael Barkai Assistant Examiner — Randall Gholson

(74) Attorney, Agent, or Firm — Tejpal S. Hansra

(57) CLAIM

The ornamental design for a mountable stand, as shown and described.

DESCRIPTION

FIG. 1 is an isometric view of a mountable stand showing our new design with a handheld mobile electronic device in broken lines;

FIG. 2 is a front view thereof with a handheld mobile electronic device in broken lines;

FIG. 3 is a right side view thereof with a handheld mobile electronic device in broken lines;

FIG. 4 is a left side view thereof;


FIG. 5 is a back view thereof;

FIG. 6 is a top view thereof; and,

FIG. 7 is a bottom view thereof.

The broken lines in the drawing are for illustrative purposes only and form no part of the claimed design. Specifically, the broken lines are provided to illustrate the environment in which the mobile stand may be used.


1 Claim, 4 Drawing Sheets



U.S. Patent Feb. 21, 2012

Sheet 1 of 4

US D654,493 S



U.S. Patent Feb. 21, 2012 Sheet 2 of 4 US D654,493 S

FIG. 2





FIG. 3



U.S. Patent Feb. 21, 2012 Sheet 3 of 4

US D654,493 S





FIG. 5



U.S. Patent Feb. 21, 2012 Sheet 4 of 4

US D654,493 S

FIG. 6




FIG. 7

